
TABLE No. 7
FOR
CORRECTION OF VOLUME
OF SPIRITUOUS LIQUORS TO 60° F.

(Prepared by the National Bureau of Standards and based on information published in Bulletin of the Bureau of Standards, Vol. 9, No. 3, pages 327-474, Oct. 15, 1913)

TABLE FOR CORRECTION OF VOLUME TO 60° F.

Per- cent proof	Temperature ° F.											
	18°	20°	22°	24°	26°	28°	30°	32°	34°	36°	38°	
5												1.001
10												1.001
15												1.001
20									1.002	1.002	1.002	1.002
25									1.002	1.002	1.002	1.002
30			1.003	1.003	1.003	1.002	1.002	1.002	1.002	1.002	1.002	1.002
35			1.003	1.003	1.003	1.003	1.003	1.003	1.003	1.003	1.003	1.003
40	1.005	1.004	1.004	1.004	1.004	1.004	1.004	1.004	1.004	1.004	1.003	1.003
45	1.006	1.006	1.006	1.005	1.005	1.005	1.005	1.005	1.004	1.004	1.004	1.004
50	1.007	1.007	1.007	1.006	1.006	1.006	1.006	1.005	1.005	1.005	1.004	1.004
55	1.009	1.008	1.008	1.008	1.007	1.007	1.007	1.006	1.006	1.006	1.005	1.005
60	1.010	1.010	1.009	1.009	1.008	1.008	1.008	1.007	1.007	1.006	1.006	1.006
65	1.011	1.011	1.010	1.010	1.009	1.009	1.008	1.008	1.007	1.007	1.006	1.006
70	1.013	1.012	1.012	1.011	1.010	1.010	1.009	1.009	1.008	1.008	1.007	1.007
75	1.014	1.013	1.013	1.012	1.011	1.011	1.010	1.010	1.009	1.008	1.008	1.008
80	1.015	1.014	1.013	1.013	1.012	1.011	1.011	1.010	1.009	1.009	1.008	1.008
85	1.016	1.015	1.014	1.014	1.013	1.012	1.011	1.011	1.010	1.009	1.008	1.008
90	1.016	1.016	1.015	1.014	1.013	1.013	1.012	1.011	1.010	1.010	1.009	1.009
95	1.017	1.016	1.016	1.015	1.014	1.013	1.012	1.012	1.011	1.010	1.009	1.009
100	1.018	1.017	1.016	1.015	1.014	1.014	1.013	1.012	1.011	1.010	1.009	1.009
105	1.018	1.017	1.017	1.016	1.015	1.014	1.013	1.012	1.011	1.011	1.010	1.010
110	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.013	1.012	1.011	1.010	1.010
115	1.019	1.018	1.017	1.016	1.016	1.015	1.014	1.013	1.012	1.011	1.010	1.010
120	1.019	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.011	1.010	1.010
125	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.012	1.011	1.011
130	1.020	1.019	1.018	1.017	1.016	1.016	1.015	1.014	1.013	1.012	1.011	1.011
135	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.011	1.011
140	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.011	1.011
145	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.011	1.011
150	1.022	1.021	1.020	1.019	1.018	1.017	1.015	1.014	1.013	1.012	1.011	1.011
155	1.022	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.012
160	1.022	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.012
165	1.023	1.022	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.012	1.012
170	1.023	1.022	1.021	1.020	1.019	1.018	1.016	1.015	1.014	1.013	1.012	1.012
175	1.023	1.022	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.013	1.012	1.012
180	1.024	1.022	1.021	1.020	1.019	1.018	1.017	1.016	1.015	1.014	1.012	1.012
185	1.024	1.023	1.022	1.021	1.019	1.018	1.017	1.016	1.015	1.014	1.013	1.013
190	1.024	1.023	1.022	1.021	1.020	1.019	1.017	1.016	1.015	1.014	1.013	1.013
195	1.024	1.023	1.022	1.021	1.020	1.019	1.018	1.016	1.015	1.014	1.013	1.013
200	1.025	1.024	1.022	1.021	1.020	1.019	1.018	1.017	1.015	1.014	1.013	1.013

TABLE FOR CORRECTION OF VOLUME TO 60° F.

Per- cent proof	Temperature ° F.									
	40°	42°	44°	46°	48°	50°	52°	54°	56°	58°
0	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000	1.000
5	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000	1.000
10	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000	1.000
15	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000	1.000
20	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000
25	1.002	1.002	1.001	1.001	1.001	1.001	1.001	1.001	1.000	1.000
30	1.002	1.002	1.002	1.002	1.001	1.001	1.001	1.001	1.001	1.000
35	1.003	1.002	1.002	1.002	1.002	1.001	1.001	1.001	1.001	1.000
40	1.003	1.003	1.002	1.002	1.002	1.002	1.001	1.001	1.001	1.000
45	1.004	1.003	1.003	1.003	1.002	1.002	1.002	1.001	1.001	1.000
50	1.004	1.004	1.003	1.003	1.003	1.002	1.002	1.001	1.001	1.000
55	1.005	1.004	1.004	1.003	1.003	1.002	1.002	1.002	1.001	1.000
60	1.005	1.005	1.004	1.004	1.003	1.003	1.002	1.002	1.001	1.001
65	1.006	1.005	1.005	1.004	1.004	1.003	1.002	1.002	1.001	1.001
70	1.006	1.006	1.005	1.005	1.004	1.003	1.003	1.002	1.001	1.001
75	1.007	1.006	1.006	1.005	1.004	1.003	1.003	1.002	1.001	1.001
80	1.007	1.007	1.006	1.005	1.004	1.004	1.003	1.002	1.001	1.001
85	1.008	1.007	1.006	1.005	1.005	1.004	1.003	1.002	1.002	1.001
90	1.008	1.007	1.006	1.006	1.005	1.004	1.003	1.002	1.002	1.001
95	1.008	1.008	1.007	1.006	1.005	1.004	1.003	1.003	1.002	1.001
100	1.009	1.008	1.007	1.006	1.005	1.004	1.004	1.003	1.002	1.001
105	1.009	1.008	1.007	1.006	1.005	1.004	1.004	1.003	1.002	1.001
110	1.009	1.008	1.007	1.006	1.005	1.005	1.004	1.003	1.002	1.001
115	1.009	1.008	1.007	1.007	1.006	1.005	1.004	1.003	1.002	1.001
120	1.009	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
125	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
130	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
135	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
140	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
145	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
150	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.003	1.002	1.001
155	1.011	1.010	1.009	1.007	1.006	1.005	1.004	1.003	1.002	1.001
160	1.011	1.010	1.009	1.008	1.006	1.005	1.004	1.003	1.002	1.001
165	1.011	1.010	1.009	1.008	1.007	1.005	1.004	1.003	1.002	1.001
170	1.011	1.010	1.009	1.008	1.007	1.006	1.004	1.003	1.002	1.001
175	1.011	1.010	1.009	1.008	1.007	1.006	1.004	1.003	1.002	1.001
180	1.011	1.010	1.009	1.008	1.007	1.006	1.005	1.003	1.002	1.001
185	1.011	1.010	1.009	1.008	1.007	1.006	1.005	1.003	1.002	1.001
190	1.012	1.010	1.009	1.008	1.007	1.006	1.005	1.004	1.002	1.001
195	1.012	1.011	1.009	1.008	1.007	1.006	1.005	1.004	1.002	1.001
200	1.012	1.011	1.010	1.008	1.007	1.006	1.005	1.004	1.002	1.001

TABLE FOR CORRECTION OF VOLUME TO 60° F.

Per- cent Proof	Temperature °F.									
	60°	62°	64°	66°	68°	70°	72°	74°	76°	78°
0	1.000	1.000	1.000	0.999	0.999	0.999	0.999	0.998	0.998	0.998
5	1.000	1.000	1.000	.999	.999	.999	.999	.998	.998	.998
10	1.000	1.000	1.000	.999	.999	.999	.999	.998	.998	.998
15	1.000	1.000	1.000	.999	.999	.999	.999	.998	.998	.998
20	1.000	1.000	1.000	.999	.999	.999	.998	.998	.998	.997
25	1.000	1.000	1.000	.999	.999	.999	.998	.998	.998	.997
30	1.000	1.000	.999	.999	.999	.998	.998	.998	.997	.997
35	1.000	1.000	.999	.999	.999	.998	.998	.998	.997	.997
40	1.000	1.000	.999	.999	.998	.998	.998	.997	.997	.996
45	1.000	1.000	.999	.999	.998	.998	.997	.997	.996	.996
50	1.000	1.000	.999	.999	.998	.998	.997	.997	.996	.995
55	1.000	.999	.999	.998	.998	.997	.997	.996	.996	.995
60	1.000	.999	.999	.998	.998	.997	.996	.996	.995	.995
65	1.000	.999	.999	.998	.997	.997	.996	.995	.995	.994
70	1.000	.999	.999	.998	.997	.997	.996	.995	.994	.994
75	1.000	.999	.999	.998	.997	.996	.996	.995	.994	.993
80	1.000	.999	.998	.998	.997	.996	.995	.995	.994	.993
85	1.000	.999	.998	.998	.997	.996	.995	.994	.994	.993
90	1.000	.999	.998	.998	.997	.996	.995	.994	.993	.992
95	1.000	.999	.998	.997	.997	.996	.995	.994	.993	.992
100	1.000	.999	.998	.997	.996	.996	.995	.994	.993	.992
105	1.000	.999	.998	.997	.996	.995	.995	.994	.993	.992
110	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.992
115	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
120	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
125	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
130	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
135	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
140	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.991
145	1.000	.999	.998	.997	.996	.995	.994	.993	.992	.990
150	1.000	.999	.998	.997	.996	.995	.994	.993	.991	.990
155	1.000	.999	.998	.997	.996	.995	.994	.992	.991	.990
160	1.000	.999	.998	.997	.996	.995	.993	.992	.991	.990
165	1.000	.999	.998	.997	.996	.994	.993	.992	.991	.990
170	1.000	.999	.998	.997	.995	.994	.993	.992	.991	.990
175	1.000	.999	.998	.997	.995	.994	.993	.992	.991	.990
180	1.000	.999	.998	.997	.995	.994	.993	.992	.991	.990
185	1.000	.999	.998	.997	.995	.994	.993	.992	.991	.989
190	1.000	.999	.998	.996	.995	.994	.993	.992	.991	.989
195	1.000	.999	.998	.996	.995	.994	.993	.992	.990	.989
200	1.000	.999	.998	.996	.995	.994	.993	.992	.990	.989

TABLE FOR CORRECTION OF VOLUME TO 60° F.

Per- cent proof	Temperature ° F.										
	80°	82°	84°	86°	88°	90°	92°	94°	96°	98°	100°
0	0.998	0.997	0.997	0.997	0.996	0.996	0.996	0.995	0.995	0.994	0.994
5	.998	.997	.997	.997	.996	.996	.996	.995	.995	.994	.994
10	.997	.997	.997	.996	.996	.996	.995	.995	.995	.994	.994
15	.997	.997	.997	.996	.996	.996	.995	.995	.994	.994	.993
20	.997	.997	.996	.996	.996	.995	.995	.994	.994	.994	.993
25	.997	.996	.996	.996	.995	.995	.994	.994	.994	.993	.993
30	.997	.996	.996	.995	.995	.994	.994	.994	.993	.993	.992
35	.996	.996	.995	.995	.994	.994	.993	.993	.992	.992	.991
40	.996	.995	.995	.994	.994	.993	.993	.992	.992	.991	.991
45	.995	.995	.994	.994	.993	.993	.992	.991	.991	.990	.990
50	.995	.994	.994	.993	.993	.992	.991	.991	.990	.990	.989
55	.994	.994	.993	.993	.992	.991	.991	.990	.989	.989	.988
60	.994	.993	.993	.992	.991	.991	.990	.989	.988	.988	.987
65	.993	.993	.992	.991	.991	.990	.989	.988	.988	.987	.986
70	.993	.992	.991	.991	.990	.989	.988	.988	.987	.986	.985
75	.993	.992	.991	.990	.989	.989	.988	.987	.986	.985	.985
80	.992	.991	.991	.990	.989	.988	.987	.986	.986	.985	.984
85	.992	.991	.990	.989	.988	.988	.987	.986	.985	.984	.983
90	.992	.991	.990	.989	.988	.987	.986	.985	.984	.984	.983
95	.991	.990	.989	.989	.988	.987	.986	.985	.984	.983	.982
100	.991	.990	.989	.988	.987	.986	.985	.984	.984	.983	.982
105	.991	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981
110	.991	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981
115	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981	.980
120	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981	.980
125	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981	.980
130	.990	.989	.988	.987	.986	.985	.984	.983	.982	.981	.979
135	.990	.989	.988	.987	.986	.985	.983	.982	.981	.980	.979
140	.990	.989	.987	.986	.985	.984	.983	.982	.981	.980	.979
145	.989	.988	.987	.986	.985	.984	.983	.982	.981	.980	.979
150	.989	.988	.987	.986	.985	.984	.983	.982	.980	.979	.978
155	.989	.988	.987	.986	.985	.984	.982	.981	.980	.979	.978
160	.989	.988	.987	.986	.984	.983	.982	.981	.980	.979	.978
165	.989	.988	.987	.985	.984	.983	.982	.981	.980	.979	.977
170	.989	.988	.986	.985	.984	.983	.982	.981	.979	.978	.977
175	.989	.987	.986	.985	.984	.983	.982	.980	.979	.978	.977
180	.988	.987	.986	.985	.984	.982	.981	.980	.979	.978	.977
185	.988	.987	.986	.985	.984	.982	.981	.980	.979	.977	.976
190	.988	.987	.986	.985	.983	.982	.981	.980	.979	.977	.976
195	.988	.987	.986	.985	.983	.982	.981	.980	.978	.977	.976
200	.988	.987	.986	.984	.983	.982	.981	.980	.978	.977	.976